



TGB 817NX Exploded Spares








Walk-behind Battery Scrubber Dryer

















Revision








A03

















Item Number	Image Reference	Item Description	Part Number	Item Quantity
1		Separator Assembly	915088	1
2		Stretch Hose	915089	1
3		Vac Hose	915090	1
4		Dirty Dump Hose End Cap	915091	1
5		Dirty Dump Hose	915092	1
6		Top Tank Assembly	915094	1
7		Blade Set	900518	1

Item Number	Image Reference	Item Description	Part Number	Item Quantity
8		Complete Floortool Kit	904691	1
9		Right & Left Caster Wheel Assy	908028	1
10		PCB Kit	915095	1
11		Squeegee Buffer Wheel	916150	2
12		Floor Tool Right & Left Blade Retainer Clips	916152	1
13		Floor Tool Red Knob	916153	2
14		Clean Water Dump Hose	916154	1

Item Number	Image Reference	Item Description	Part Number	Item Quantity
15		Complete Hose Clip Kit	916155	1
16		Squeegee Lift Handle Kit	916156	1
17		Tank Filling Kit	916157	1
18		Chuck Kit	916158	2
19		Wheel Kit	916159	1
20		Buffer Wheel Kit	916160	2
21		Solenoid Cable & Ferrite Assembly	916197	1



Item Number	Image Reference	Item Description	Part Number	Item Quantity
22		Pack of Axle Clips	916183	4
23		Pack of Detent Pins	916184	4
24		Ball Valve Assy	916186	1
25		Deck Bar Locking Kit	905533	1
26		80mm White Wheel Kit	916188	1
27		Extended Strainer Kit	916190	1
28		Extended Strainer Bracket Assy	916192	1

Item Number	Image Reference	Item Description	Part Number	Item Quantity
29		160mm Wheel Kit Assy	916194	1
30		Vac Motor Back Plate Assy	916406	1
31		Vac Motor Assy	916408	1
32		Main PCB Kit Assy	916411	1
33		Splash Skirt	916413	1
34		Barrel Filter	916414	2
35		Filter Basket	916415	1

Item Number	Image Reference	Item Description	Part Number	Item Quantity
36		Seperator Gasket Kit	916417	1
37		Hose Guide (Top Tank)	916418	1
38		Lift Wire	916288	1
39		Brush Motor Assy	916290	2
40		Solution Tube Kit	916292	1
41		Floor Tool Bracket Assy	916293	2
42		Elbow Angle Connector	916295	1

TGB 817NX Exploded Spares

Walk-behind Battery Scrubber Dryer




UK	 	Any maintenance operation is to be carried out in a safe environment • All electrical work is to be carried out by a competent person Move tank assembly • Retain all nuts, screws and washers for refitting (If applicable)	 
DL	 	Sämtliga Wartungsarbeiten sind in einer sicheren Umgebung durchzuführen • Alle Elektroarbeiten sind durch eine entsprechend befähigte Person durchzuführen Bewegen Sie die Tankbaugruppe • Bewahren Sie alle Muttern, Schrauben und Unterlegscheiben zum Wiedereinbau sicher auf (falls zutreffend)	 
ES	 	Toda operación de mantenimiento debe realizarse en un entorno seguro • Todo trabajo eléctrico debe ser realizado por una persona competente Mover el conjunto de depósito • Guardar todas las tuercas, tornillos y arandelas para volver a colocarlos (si corresponde)	 
FL	 	Kaikki huoltotoimenpiteet on suoritettava turvallisessa ympäristössä • Ammattitaitoisen henkilön on tehtävä kaikki sähkötyöt Siirrä säiliöyksikkö • Säilytä kaikki mutterit, ruuvit ja prikat asennusta varten (jos käyttökelpoisia)	 
FR	 	Toute opération d'entretien doit être effectuée dans un environnement sécurisé • Tous travaux électriques doivent être assurés par du personnel qualifié uniquement Déplacez l'ensemble réservoir • Conservez tous les écrous, vis et rondelles en vue d'un (éventuel) remplacement	 
IT	 	Tutti gli interventi di manutenzione devono essere effettuati in un ambiente sicuro • Tutti gli interventi elettrici devono essere effettuati da personale competente Spostamento del gruppo serbatoio • Conservare tutti i dadi, le viti e le rondelle per il rimontaggio (se applicabile)	 
NL	 	Alle onderhoudswerkzaamheden moeten worden uitgevoerd in een veilige omgeving • Alle elektrische werkzaamheden moeten worden uitgevoerd door een bevoegd persoon Verplaats de hoofdtank • Bewaar alle moeren, schroeven en sluitringen voor hermontage (indien van toepassing)	 
PL	 	Wszystkie czynności konserwacyjne należy wykonywać w bezpiecznym środowisku • Wszelkie prace elektryczne powinna wykonywać osoba kompetentna Przesunąć zespół zbiornika • Zachować wszystkie nakrętki, śruby i podkładki do ponownego montażu (jeżeli dotyczy)	 
PT	 	Qualquer operação de manutenção deve realizar-se num ambiente seguro • Todo o trabalho elétrico deve ser realizado por um técnico qualificado Mover o depósito principal • Guardar todas as porcas, parafusos e anilhas para reinstalar (se aplicável)	 
SV	 	Alla former av underhåll ska utföras i en säker miljö • Allt elektriskt arbete ska utföras av en behörig person Flytta tankenheten • Behåll alla muttrar, skruvar och brickor för reparation (om det är tillämpligt)	 
DK	 	Any maintenance operation is to be carried out in a safe environment • All electrical work is to be carried out by a competent person • Move tank assembly Retain all nuts, screws and washers for refitting (If applicable)	 

Numatic International Spare Parts

Model No: TTB3045 NX BOTTOM TANK ASSEMBLY EXPLODED DRAWING

NB: FOR WIRING SEE DRAWING: 913984 - DRW-36752
TELEMATICS CONFIGURATION - DRW-40720, DRW-40721



913984
DRAWING: DRW-36510 ISS:A13
09/03/2023

Numatic International Spare Parts

Model No: TTB3045 NX BOTTOM TANK ASSEMBLY EXPLODED DRAWING


ITEM:	ITEM No:	DESCRIPTION	COMMENTS	Default/QTY.
1	913944	TGB3045 NX BOTTOM TANK MOULDING (GRAPHITE)		1
2	914293	WEIGHTS SPACER (PP)		1
3	208564	FILLER CAP SEALING RING		1
4	237174	FILLER CAP WITH FILLER HOSE HOLE		1
5	903695	28MM X 270MM LONG 3:1 STRETCH HOSE C/W RED CAP & STRAP		1
6	219569	No8 X 1/2 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW	Torque Setting 2.6NM	6
7	913966	NX3045 SECONDARY PCB ASSEMBLY	Wired version	1
	914653	NX3045 SECONDARY PCB ASSEMBLY		1
8	913965	NX3045 MAIN PCB ASSEMBLY	Wired version	1
	914652	NX3045 MAIN PCB ASSEMBLY		1
9	905074	GASKET-MODULE-ELECTRONICS		2
10	913958	3045 NX BATTERY COMPARTMENT		1
11	913686	BATTERY.37.8100		2
12	208382	MAGNET(19MM O/D)		3
13	910635	BATTERY RETAINER		2
14	910636	BATTERY RETAINER CAP		2
15	914505	M4 X 25MM LG. POZI CSK S-ST MC SCREW NYLON PATCH	Torque Setting 1.6NM	5
16	913960	NX 3045 BATTERY COMPARTMENT COVER		1
17	219720	M5 X 30MM LONG STAINLESS STEEL POZI PAN SCREW		2
18	206599	SPRING 10.65MM OD 16.5MM FREE LENGTH		2
19	291035	M5 NYLON INSERT NUT (STAINLESS STEEL)	Torque Setting 2.6NM	6
20	208956	SILENCER FOAM TUBE 150MM		1
21	208583	DIP MOULDED ELBOW (MAINS VERSION)		1
22	901539	ELBOW ANGLE CONNECTOR 3/8 PARALLEL THREAD C/W O-RING TO 12MM PUSH IN		1
23	904403	BARBED RIVET BLACK		2
24	903341	32MM HOSE CAP RED (C/W 8MM HOLE)		1
25	213025	DUMP HOSE		1
26	902133	SPRING WIRE CLAMP (YDNAC-Y8010356)		1
27	904109	FLOAT MOULDING		1
28	904108	FLOAT STOP MOULDING		2
29	291135	M5 X 10MM LONG STAINLESS STEEL POZI PAN SEMS SCREW	Torque Setting 2.6NM	5
30	901916	28mm HOSE CLIP		1
31	291126	M8 X 120 LONG HEX BOLT STAINLESS STEEL		4
32	219716	M8 FORM G STAINLESS STEEL WASHER		8
33	904283	CABLE RESTRAINT		1
34	291132	M5 X 16MM LONG STAINLESS STEEL POZI PAN SEMS SCREW	Torque Setting 2.6NM	2
35	903612	TGB 3045 HANDLE MOUNT WELD ASSEMBLY Z/PL		1
36	219558	M5 STAINLESS STEEL NUTSERT		2
37	219639	M8 STAINLESS STEEL NYLON INSERT NUT	Torque Setting 10NM	4
38	903539	HANDLE MOUNT COVER PAINTED SILVER		1
39	913964	3045 NX HANDLE MOUNT LEFT COVER PAINTED SILVER		1
40	237754	35-38MM HOSE CLIP		2
41	902324	RED SQUEEGEE LIFT HANDLE		1
42	219687	M4 STAINLESS STEEL NYLON INSERT NUT		1
43	219897	M10 STAINLESS STEEL NYLON INSERT NUT		1
44	914266	M10 X 30 X 1.5 A4 S/ST FENDER WASHER		2
45	915176	M10 X 30MM STAINLESS STEEL HEX SCREW		1
46	901758	ET SQUEEGEE LIFTING WIRE		1
47	291118	M5 STAINLESS STEEL WASHER 19MM OD		1
48	219686	M4 X 20MM LONG STAINLESS STEEL POZI PAN MACHINE SCREW		1
49	900986	NYLON GROMMET NUT (PLASTIC INSERT TO SUIT No 8 PLASTITE SCREW)		4
50	208799	TT MOTOR PLATE GASKET		1
51	219644	M5 FORM G STAINLESS STEEL WASHER		14
52	219568	NO8.3/4 INCH LG.POZI-PAN.SCREW.STAINLESS STEEL.PLASTITE	Torque Setting 2.6NM	4
53	914296	3045NX AV MOUNT VAC MOTOR PLATE GASKET		1
54	914298	WDS 710 ANTI VIBRATION MOUNT (710-15150555A2)		4
55	902275	VAC PLATE GASKET		1
56	392449	HANDLE MOUNT LINK PLATE PAINT SILVER		2
57	291020	M5 STAINLESS STEEL EXTERNAL SHAKEPROOF LOCK WASHER		4
58	915298	VAC PLATE REAR GASKET		1
59	907553	VAC MOTOR PLATE MOULDING		1
60	915486	CINDERSON VAC HOUSING - ASSEMBLY (200W)		1
61	915303	CINDERSON VAC MOTOR MOUNT PLATE [TTB3045NX]		1
62	915483	TTB3045NX CINDERSON VAC MOTOR PLATE (FRONT)		1
63	915302	VAC MOTOR GASKET [TTB3045NX]		1
64	219497	M5 NYLON WASHER		4
65	915659	WEIGHTED PLATE ASSEMBLY TTB3045NX - DIP MOULDED		1
66	291131	M5 X 12MM LONG STAINLESS STEEL POZI PAN SEMS SCREW		4
67	915765	TTB3045NX BOTOM TANK SELF ADHESIVE TAPE		1

Numatic International Spare Parts

Model No: TTB 3045 NX HANDLE ASSEMBLY EXPLODED DRAWING

913989, 914049
DRAWING: DRW-36522 ISS:A02
03/12/2021

NB: FOR WIRING SEE DRAWING: DRW-36752



Numatic International Spare Parts

Model No: TTB 3045 NX HANDLE ASSEMBLY EXPLODED DRAWING


ITEM:	PART NO:	DESCRIPTION:	COMMENTS:	QTY.
1	219370	No8 X 5/8 INCH LONG PLASTITE STAINLESS STEEL SCREW	Torque Setting 2.6NM	12
2	227579	REAR COVER MOULDING	STANDARD CONFIGURATION ONLY (913989)	1
3	229483	SNAP ACTION SWITCH		2
4	219107	NO6.5/8 INCH LG.POZI-PAN.SCREW.Z/PL.PLASTITE	Torque Setting 1.6NM	6
5	227584	INTERLOCK LEVER MOULDING		1
6	229669	LOLINE HANDLE CABLE CLAMP		2
7	229509	REAR INNER HALF MOULDING (FR)		1
8	219206	M4 FORM A WASHER		4
9	227576	FRONT INNER HALF MOULDING		1
10	227585	LEFT HAND SWITCH OPERATING LEVER MOULDING		1
11	227586	RIGHT HAND SWITCH OPERATING LEVER MOULDING		1
12	227587	CENTRE SWITCH OPERATING LEVER MOULDING		1
13	219804	SWITCH COMPRESSION SPRING		1
14	911348	TTB 1840 36V CONTROL PANEL OVERLAY		1
15	208521	NYLON WASHER 10.0 OD X 4.1 ID X 1.0MM		4
16	911543	ASSEMBLY.1840 DISPLAY		1
17	219407	M4 X 16MM LONG POZI PAN COUNTERSUNK SCREW		2
18	219688	M4 FORM A STAINLESS STEEL WASHER		2
19	219083	M4 NYLON INSERT NUT	Torque Setting 1.6NM	2
20	911562	TTB1840 36V FRONT COVER MOULDING		1
21	914736	TTB3045NX HANDLE FRONT LABEL	DOC-44472	1
22	219805	4MM SPIREFIX		1
23	20638V	19MM BLACK TUBE END STOP		1
24	903545	ADJUSTMENT LEVER MOULDING (RED)		1
25	219642	M6 STAINLESS STEEL NYLON INSERT NUT	Torque Setting 8NM	1
26	219493	M6 NYLON WASHER		1
27	903546	HANDLE PLUG MOULDING (RED)		1
28	227580	HAND GRIP MOULDING		2
29	219811	NO8 X 1 INCH LONG POZI-PAN SELF TAP SCREW	Torque Setting 2.6NM	2
30	219803	TRIGGER COMPRESSION SPRING		2
31	903547	TRIGGER MOULDING (RED)		2
32	338269	CROSS TUBE		1
33	219036	No8 X 5/8 INCH LONG POZI PAN SELF TAPPING SCREW	Torque Setting 2.6NM	2
34	237692	HANDLE CABLE COVER L/H		1
35	237693	HANDLE CABLE COVER R/H		1
36	291131	M5 X 12MM LONG STAINLESS STEEL POZI PAN SEMS SCREW	Torque Setting 2.6NM	3
37	229009	BLANKING PLUG		1
38	219764	M6 STAINLESS STEEL DOME NUT		4
39	902353	M6 EXTERNAL SHAKEPROOF WASHER STAINLESS STEEL		4
40	219647	M6 FORM G STAINLESS STEEL WASHER		8
41	903603	TGB/TTG 430MM PROCESSED ALI HANDLE PAINT SILVER		1
42	291125	M6 X 40 LONG HEX BOLT STAINLESS STEEL	Torque Setting 8NM	4
43	229461	440MM HANDLE LOCKING ROD		1
44	219099	M6 HALF NUT		1
45	229138	SPRING		1
46	229073	GEAR LOCKING PIN		1
47	900398	HANDLE CASTING MACHINED (HNS VERSION)		1
48	229099	25MM DIA HOLE PLUG		1
49	900397	MINI ADJUSTMENT GEAR		1
50	900396	ADJUSTMENT GEAR SPACER		2
51	291150	NO6 X 1 INCH LONG POZI PAN SCREW S/S	Torque Setting 1.6NM	1
52	219578	M8 FORM A STAINLESS STEEL WASHER		6
53	219922	M8 X 50MM LONG SOCKET BUTTON HEAD STAINLESS STEEL BOLT		3
54	219639	M8 STAINLESS STEEL NYLON INSERT NUT	Torque Setting 8NM	3
55	903260	M8 BOLT AND NUT CAP		2
56	219569	No8 X 1/2 INCH LONG POZI PAN STAINLESS STEEL TAPITE SCREW	Torque Setting 2.6NM TELEMATICS CONFIGURATION ONLY (914049)	4
57	912946	TTB1840 HANDLE REAR COVER - TELEMATICS	TELEMATICS CONFIGURATION ONLY (914049)	1
58	911544	TELEMATICS MODULE ASSEMBLY - ANTHRACITE GREY	TELEMATICS CONFIGURATION ONLY (914049)	1

Numatic International Spare Parts

Model No: TTB 3045 NX BRUSH DECK EXPLODED DRAWING

NB: FOR WIRING SEE DRAWING: DRW-36752

913986
DRAWING: DRW-36512 ISS:A02
03/12/2021



Numatic International Spare Parts

Model No: TTB 3045 NX BRUSH DECK EXPLODED DRAWING

ITEM:	PART No:	DESCRIPTION	COMMENTS	QTY.
1	229258	TT 345 GRAPHITE BASE MOULDING		1
2	206013	BUFFER WHEEL PIN		2
3	219644	M5 FORM G STAINLESS STEEL WASHER		4
4	291132	M5 X 16MM LONG STAINLESS STEEL POZI PAN SEMS SCREW	Torque Setting 2.6NM	4
5	229644	450MM DIAMETER SPLASH SKIRT MOULDING		1
6	219890	M4 X 12MM LONG POZI PAN STAINLESS STEEL SCREW	Torque Setting 2.6NM	4
7	291145	M4 SHAKEPROOF WASHER STAINLESS STEEL		2
8	237380	AMER MOTOR COVER		1
9	913100	AMER MOTOR DCM-4222 36V PMDC 16:1		1
10	914306	TTB3045 NX 36V AMER MOTOR ADAPTOR PLATE PAINT SILVER GREY		1
11	208727	DRIVE SHAFT		1
12	291079	6MM X 30MM STAINLESS STEEL ROLL PIN		1
13	219647	M6 FORM G STAINLESS STEEL WASHER		8
14	902353	M6 EXTERNAL SHAKEPROOF WASHER STAINLESS STEEL		8
15	219719	M6 X 16MM LONG HEXAGONAL STAINLESS STEEL HEAD BOLT	Torque Setting 8NM	8
16	230207	DIE CAST CHUCK MACHINED		1
17	230048	26MM EXTERNAL CIRCLIP		1
18	291127	M6 X 35 LONG HEX BOLT STAINLESS STEEL	Torque Setting 8NM	4
19	219870	M6 FORM A WASHER STAINLESS STEEL		4
20	208011	MOTOR MOUNTING SPACER		4
21	206236	PIVOT PIN		2
22	392248	DECK MOUNT BRACKET		1
23	219606	BRACKET SPACER		4
24	204021	12.7MM STAINLESS STEEL HUB CAP		2
25	204068	3 INCH GREY WHEEL		4
26	392249	DECK MOUNT RH		1
27	219639	M8 STAINLESS STEEL NYLON INSERT NUT	Torque Setting 8NM	2
28	902949	TERMINATED SOLENOID CABLE.BLACK.125.0M5.2.24		1
29	902556	SOLENOID MOUNT MOULDING		1
30	219687	M4 STAINLESS STEEL NYLON INSERT NUT		2
31	219345	12MM EXTERNAL CIRCLIP		2
32	229382	REAR WHEEL PIN		2
33	229128	PLUNGER		1
34	219394	COMPRESSION SPRING		1
35	223242	PLUNGER MOUNTING PLATE MOULDING		1
36	219569	No8 X 1/2 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW	Torque Setting 2.6NM	4
37	229025	M8 X 12MM LONG POZI PAN STAINLESS STEEL NYLON INSERT NUT	Torque Setting 8NM	4
38	229025	STANDARD GROMMET		4

This document may be out-of-date because it has file references that may have been updated. (more...)

WIRING DIAGRAM

Comp. No
915656

DRG. No
DRW-39747

WIRING DIAGRAM.TWINTec.1S.CL.UNI.NSF.NT.PLG (NX3045 C/W WIRE TERMINATED PCBS)

ISSUE	REVISION	DRAWN	APPD.	DATE
A04	915308 WAS 913101	JW	MB	05/10/2022

